

**TERMSERIES  
ZQV 1.5N/R12.8/10 GE**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Product image**

TERMSERIES accessories include:

- Spare relay
- Base
- Partition plates
- Cross-connections
- Power-feed modules

**General ordering data**

Type	ZQV 1.5N/R12.8/10 GE
Order No.	<a href="#">1193700000</a>
Version	TERMSERIES, Cross-connector
GTIN (EAN)	4032248976447
Qty.	10 pc(s).

Creation date July 8, 2020 7:54:26 AM CEST

Catalogue status 08.07.2020 / We reserve the right to make technical changes.

**Data sheet**

**TERMSERIES  
ZQV 1.5N/R12.8/10 GE**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Technical data**

**Dimensions and weights**

Width	119 mm	Width (inches)	4.685 inch
Height	13.1 mm	Height (inches)	0.516 inch
Depth	4.9 mm	Depth (inches)	0.193 inch
Net weight	5.9 g		

**Temperatures**

Operating temperature, max.	60 °C	Operating temperature, min.	-40 °C
Storage temperature, max.	85 °C	Storage temperature, min.	-40 °C
Operating temperature	-40 °C...60 °C	Storage temperature	-40 °C...85 °C

**Cross-connection data**

Rated voltage	250 V	Rated current	17.5 A
Insulation	Yes	Touch-safe protection	Yes
Colour	yellow	Number of cross-connected terminals	10
Number of poles	10	Pitch in mm (P)	12.8 mm
Type of mounting	Plugged	Version	can be cut to length

**Rated data UL**

Rated current (UL)	10 A
--------------------	------

**General data**

Version	can be cut to length	Colour	yellow
UL 94 flammability rating	V-0		

**Insulation coordination**

Rated voltage	250 V
---------------	-------

**Connection data**

Pitch in mm (P)	12.8 mm
-----------------	---------

**Classifications**

ETIM 6.0	EC002586	ETIM 7.0	EC002586
eClass 9.1	27-37-16-92	eClass 10.0	27-37-16-92

**Approvals**

Approvals



ROHS Conform

**Data sheet****TERMSERIES**  
**ZQV 1.5N/R12.8/10 GE****Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com**Technical data****Downloads**

---

Brochure/Catalogue	<a href="#">CAT 4.2 ELECTR 18/19 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>
User Documentation	<a href="#">Beipackzettel / Package Insert - multilingual</a>

---

**Data sheet**

**TERMSERIES**  
**ZQV 1.5N/R12.8/10 GE**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Dimensional drawing**

