

**Dekafix**  
**DEK 5/5 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

|                    |                                                                                  |
|--------------------|----------------------------------------------------------------------------------|
| Type               | DEK 5/5 MC NE WS                                                                 |
| Order No.          | <a href="#">1609801044</a>                                                       |
| Version            | Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, white     |
| GTIN (EAN)         | 4008190397111                                                                    |
| Qty.               | 1,000 pc(s).                                                                     |
| compatible printer | <a href="#">1324380000</a> <a href="#">2438520000</a> <a href="#">2438510000</a> |

**Dekafix**  
**DEK 5/5 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Width      | 5 mm    | Width (inches)  | 0.197 inch |
| Height     | 5 mm    | Height (inches) | 0.197 inch |
| Net weight | 0.121 g |                 |            |

**General data**

|                                              |             |                             |              |
|----------------------------------------------|-------------|-----------------------------|--------------|
| Application/manufacture                      | Weidmueller | Colour                      | white        |
| Halogen                                      | No          | Material                    | Polyamide 66 |
| Material colour according to resistance code | 9           | Operating temperature range | -40...100 °C |
| Size of labelling field                      | 5 x 5 mm    | Type of printing            | neutral      |
| UL 94 flammability rating                    | V-2         | Width                       | 5 mm         |

**Connector markers**

|                 |      |
|-----------------|------|
| Pitch in mm (P) | 5 mm |
|-----------------|------|

**Classifications**

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC000761    | ETIM 7.0   | EC000761    |
| eClass 9.0  | 27-14-11-37 | eClass 9.1 | 27-14-11-37 |
| eClass 10.0 | 27-14-11-37 | UNSPSC     | 30-21-18-07 |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                             |                                                                                                                            |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Brochure/Catalogue          | <a href="#">CAT 8 SAI 15/16 EN</a><br><a href="#">CAT 1 TERM 16/17 EN</a><br><a href="#">CAT 2 PORTFOLIOGUIDE EN</a>       |
| Engineering Data            | <a href="#">EPLAN, WSCAD, Zuken E3.S</a>                                                                                   |
| Engineering Data            | <a href="#">STEP</a>                                                                                                       |
| Product Change Notification | <a href="#">Technical change to MultiCard material - DE</a><br><a href="#">Technical change to MultiCard material - EN</a> |
| Software                    | <a href="#">M-Print PRO configuration file</a>                                                                             |

### Dekafix DEK 5/5 MC NE WS

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

## Drawings



### Drawing

